Specification

According to Regulation (EU) No. 1061/2010

"*" Asterisk(s) means variant model and can be varied (0-9) or (A-Z).

Model Name Capacity Energy Efficiency on a scale from D (least efficient) to A+++ (most efficient)	kg	WW10M86****
	ka	
nergy Efficiency on a scale from D (least efficient) to A+++ (most efficient)	ky	10.0
J, ,		A+++
Annual energy consumption (It is based on 220 standard washing cycles for standard		119
otton course at 60 °C and 40 °C at full and partial load, and the consumption of off	kWh/yr	
and left-on modes. Actual energy consumption will depend on how the appliance is		
ised.)		
Energy Consumption		
The standard 60 °C cotton programme at full load	kWh	0.53
he standard 60 °C cotton programme at partial load	kWh	0.52
The standard 40 °C cotton programme at partial load	kWh	0.51
Veighted power consumption of the off-mode.	W	0.48
Veighted power consumption of the left-on mode.	W	10.00
Annual water consumption (It is based on 220 standard washing cycles for standard		
otton course at 60 °C and 40 °C at full and partial load. Actual water consumption will	L/yr	11000
depend on how the appliance is used.)		
Spin efficiency class		
pin-drying efficiency class on a scale from G (least efficient) to A (most efficient)		Α
Maximun Spin Speed	rpm	1600
Residual moisture	%	44
The $igsim$ $igsim$ COTTON 60 $^\circ$ C and $igsim$ $igor$ COTTON 40 $^\circ$ C programs are the 'standard cotton 6	60 °C program' and	the 'standard cotton 40
C program'. They are suitable to clean normally soiled cotton laundry and they are the mos		
consumption) for this type of laundry. In these programs the actual water temperature may	y differ from the dec	lared temperature.
Please run Calibration Mode after the installation (refer to the "Run Calibration (recommer	nded)" section on pa	age XX).
Program duration of the standard program		
The standard 60 °C cotton programme at full load	min	188
he standard 60 °C cotton programme at partial load	min	168
he standard 40 °C cotton programme at partial load	min	160
The duration of the left-on mode (TI)	min	8
Airborne acoustical noise emissions expressed in dB(A) re 1 pW and rounded to the nea	arest integer during	the washing and
spinning phases for the standard 60 °C cotton programme at full load;		
Vash	dB (A) re 1 pW	49
pin	dB (A) re 1 pW	72
Free Standing		