Product Fiche compliant to commission delegated regulation (EU) No 65/2014		
Brand	INDESIT	
Model	ID60C2(K) S	
EEI [%] Energy Efficiency Index - Main cavity 1)	119.7	
EEI [%] Energy Efficiency Index - Secondary cavity 1)	119.8	
Energy Efficiency Class - Main cavity 2)	В	
Energy Efficiency Class - Secondary cavity 2)	В	
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0.87	
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	1.03	
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0	
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0	
Number of cavities	2	
Heat source - Main cavity	Electric	
Heat Source - Secondary cavity	Electric	
Usable volume [I] - Main cavity	74	
Usable volume [I] - Secondary cavity	42	

¹⁾ Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

³⁾ Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014				
	Symbol	Value	Unit	
Model identification		ID60C2(K) S		
Type of oven		FANFORCE D		
Mass of the appliance	М	57.0	Kg	
Number of cavities		2		
Heat source per cavity (electricity or gas)		Electric		
Volume per cavity - Main cavity	V	74	ı	
Volume per cavity - Secondary cavity	V	42	I	
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cy cle	
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.87	kWh/cy cle	
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	1.03	kWh/cy cle	
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cy cle	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cyc le	
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cy cle	
Energy Efficiency Index per cavity - Main cavity	EElcavity	119.7		
Energy Efficiency Index per cavity - Secondary cavity	EElcavity	119.8		

²⁾ From A+++ (low consumption) to D (high consumption).

Product Information compliant to commission regulation (EU) Note that the content of the content	Symbol ing zones, s I cooking zo	Format ID60C2(K) S Electric 4 solid plate) Radiant Radiant Radiant	Unit
Model identification Type of hob Jumber of cooking zones and/or areas Heating technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking zones area per electric heated technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking zones, radiant cooking zones and cooking zon	I cooking zo	ID60C2(K) S Electric 4 Solid plate) Radiant Radiant Radiant Radiant Radiant 17.0 0.0	
Type of hob Number of cooking zones and/or areas Heating technology (induction cooking zones and cooking areas, radiant cooking technology) Left behind Center behind Right behind Center center Center center Right center Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Center behind Center behind Right behind Left center	I cooking zo	Electric 4 solid plate) Radiant Radiant Radiant Radiant 17.0 0.0	cm
Heating technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking areas, radiant cooking technology (induction cooking zones and cooking areas, radiant cooking ar	I cooking zo	Asolid plate) Radiant Radiant Radiant Radiant Radiant 17.0 0.0	cm
Heating technology (induction cooking zones and cooking areas, radiant cooking technology) (induction cooking zones and cooking areas, radiant cooking technology) (induction cooking zones and cooking areas, radiant cooking zones and cooking zones and cooking areas, radiant cooking zones and cooking	I cooking zo	Radiant Radiant Radiant Radiant Radiant Radiant Radiant 0.0	cm
Left behind Center behind Right behind Left center Center center Right center Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Right behind Left center	I cooking zo	Radiant Radiant Radiant Radiant 17.0 0.0	cm
Center behind Right behind Left center Center center Right center Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Right behind Left center	Ø Ø Ø	Radiant Radiant Radiant ne 17.0 0.0	cm
Right behind Left center Center center Right center Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Left center	Ø Ø Ø	Radiant Radiant ne 17.0 0.0	cm
Left center Center center Right center Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Right behind Left center	Ø Ø Ø	Radiant Radiant ne 17.0 0.0	cm
Center center Right center Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Right behind Left center	Ø Ø Ø	Radiant ne 17.0 0.0	cm
Right center Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Right behind Left center	Ø Ø Ø	Radiant ne 17.0 0.0	cm
Left ahead Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Right behind Left center	Ø Ø Ø	Radiant ne 17.0 0.0	cm
Center ahead Right ahead For circular cooking zones: diameter of useful surface area per electric heated Left behind Center behind Right behind Left center	Ø Ø Ø	Radiant ne 17.0 0.0	cm
Right ahead For circular cooking zones: diameter of useful surface area per electric heated eft behind Center behind Right behind eft center	Ø Ø Ø	ne 17.0 0.0	cm
For circular cooking zones: diameter of useful surface area per electric heated eft behind Center behind Right behind eft center	Ø Ø Ø	ne 17.0 0.0	cm
Left behind Center behind Right behind Left center	Ø Ø Ø	17.0 0.0	cm
Center behind Right behind eft center	Ø Ø Ø	0.0	cm
Right behind eft center	Ø Ø		
eft center	Ø	21.0	cm
eft center		21.0	cm
Penter center	~	0.0	cm
	Ø	0.0	cm
Right center	Ø	0.0	cm
eft ahead	Ø	17.0	cm
Center ahead	Ø	0.0	cm
Right ahead	Ø	21.0	cm
For non-circular cooking zones or areas: length and width of useful surface are cooking zone or area Left behind	L; W	0.0 ; 0.0	cm
Center behind	L;W	0.0 ; 0.0	cm
Right behind	L;W	0.0 ; 0.0	cm
eft center	L;W	0.0 ; 0.0	cm
Center center	L;W	0.0 ; 0.0	cm
Right center	L;W	0.0 ; 0.0	cm
eft ahead	L; W	0.0 ; 0.0	cm
Center ahead	L ; W	0.0 ; 0.0	cm
Right ahead	L;W	0.0 ; 0.0	cm
Energy consumption per cooking zone or area calculated per Kg	_,	510,510	4
	ECelectric		
eft benind	cooking	184.0	Wh/Kg
center bening	ECelectric cooking	0.0	Wh/Kg
right bening	ECelectric cooking	191.0	Wh/Kg
ert center	ECelectric cooking	0.0	Wh/Kg
Senter center	ECelectric cooking	0.0	Wh/Kg
right center	ECelectric cooking	0.0	Wh/Kg
ert anead	ECelectric cooking	191.0	Wh/Kg
center anead	ECelectric cooking	0.0	Wh/Kg
right anead	ECelectric cooking	215.0	Wh/Kg
5) 1	Celectric hob	195.2	Wh/Kg
Number of gas fired burners		0	
Energy efficiency per gas burner			
eft behind EE	Egas burner	0.0	

Center behind	EEgas burner	0.0	
Right behind	EEgas burner	0.0	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	0.0	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	0.0	